





# NARMS - EB 1997

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from Cattle**



↓ Breakpoint





■ Slaughter n=26;

■ Diagnostic n=183

# NARMS - EB 1997

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from Cattle**



↓ Breakpoint


■ Slaughter n=26;

■ Diagnostic n=183

# NARMS - EB 1997

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from Cattle**



↓ Breakpoint


■ Slaughter n=26;

■ Diagnostic n=183

# NARMS - EB 1997

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from Cattle**



↓ Breakpoint


■ Slaughter n=26;

■ Diagnostic n=183

# NARMS - EB 1997

## Veterinary Isolates

**Fig. 3. Minimum Inhibitory Concentrations by Antimicrobial Agent for All Salmonella Isolates from Cattle**



↓ Breakpoint

■ Slaughter n=26;

■ Diagnostic n=183